

TABLE OF CONTENTS

Abstract.....	i
Acknowledgements.....	ii
List of figures.....	x
List of tables.....	xiv
1. Introduction to GEONETCast and the DevCoCast project.....	1
1.1. GEO and GEONETCast.....	1
1.2. The DevCoCast Project.....	3
1.2.1. Introduction.....	3
1.2.2. Advantages of using the GEONETCast broadcasting system.....	3
1.2.3. DevCoCast Partnership and the open network established.....	4
1.2.4. Methodology and project outcome.....	5
1.3. EUMETCast.....	5
1.3.1. Introduction.....	5
1.3.2. Technical features of EUMETCast.....	6
1.3.2.1. Uplink, Turnaround and Data Providers.....	6
1.3.2.2. Multicast to specific user(s) via Data File Encryption/Decryption.....	7
1.3.2.3. Service Management and Service Directories.....	7
1.3.2.4. Telecommunication Satellites.....	7
1.3.2.5. High reliability through Network supervision.....	8
1.3.3. EUMETCast user station.....	8
1.3.3.1. Reception Station components.....	8
1.3.3.2. EUMETCast Key Unit and Client Software.....	8
1.3.3.3. Antenna size, pointing and satellite parameters.....	9
1.3.4. EUMETCast configuration for DevCoCast flow.....	11
1.4. Extending the broadcast infrastructure: the DevCoCast hubs.....	12
1.4.1. Features of the hubs.....	13
1.4.1.1. Bandwidth control.....	13
1.4.1.2. Prioritisation.....	14
1.4.1.3. Seamless integration.....	14
1.4.1.4. Redundancy.....	14
1.4.1.5. Basic hub operation.....	14
1.4.1.6. Hub monitoring.....	15
1.5. Free and open source software.....	16
1.5.1. Data Manager Software.....	16
1.5.2. ILWIS Open.....	17
1.5.3. GEONETCast Toolbox Software.....	17
1.6. Scope of this manual.....	17
References.....	18
Appendix 1 Products Listing from VITO Land and PML Marine hubs.....	19
2. Aboveground Biomass Quantification for Natural Grasslands in the Pampa Biome.....	21
2.1. Introduction and relevance of application.....	21
2.2. Objective.....	21
2.3. Study Area.....	21
2.4. Data sets used for the study.....	22
2.4.1. Aboveground biomass data.....	22
2.4.2. Satellite data.....	22
2.5. Methodology.....	23

2.6.	Satellite image processing.....	23
2.6.1.	Create the NDVI time series.....	23
2.6.2.	Create the “Sub map”.....	23
2.7.	Visualizing the study area over the satellite image.....	24
2.8.	Extract the NDVI values over the sample area.....	25
2.9.	Establishing the relationship between NDVI and aboveground biomass values.....	25
2.10.	Generate the aboveground biomass map.....	26
2.10.1.	Calculate the aboveground biomass.....	26
2.10.2.	Visualizing the results.....	27
2.11.	Verification of the results.....	28
2.12.	Conclusions.....	29
	References.....	30
	Appendix 1 NDVI time series over the EPA of Ibirapuitã for the year 2002.....	31
	Appendix 2 Aboveground biomass map time series over the EPA of Ibirapuitã for the year 2002.....	32
3.	Crop Monitoring.....	33
3.1.	Relevance of the topic selected.....	33
3.2.	Objective of the application.....	33
3.3.	Methodology.....	33
3.4.	Data collection and pre-processing.....	34
3.4.1.	Pre-processing step 1.....	34
3.4.1.1.	Importing raw files to ILWIS using the GNC-Toolbox menu.....	34
3.4.1.2.	Importing several images using batch looping routines.....	36
3.4.2.	Pre-processing step 2.....	38
3.4.3.	Pre-processing step 3.....	39
3.5.	Calculation of the various time series indices.....	39
3.6.	Local / regional (in-situ) data.....	40
3.7.	Combining “insitu” and data from GEONETCast – DevCoCast.....	41
3.8.	Conclusions.....	43
	References.....	44
4.	Estimation of Evapotranspiration in Minas Gerais State, Brazil.....	45
4.1.	Introduction.....	45
4.2.	Objective of the application.....	46
4.3.	Methodology.....	46
4.4.	Input data.....	46
4.4.1.	Local / regional (in-situ) data.....	46
4.4.2.	Data from GEONETCast-DevCoCast.....	47
4.5.	Data analysis.....	47
4.5.1.	Data pre-processing steps required.....	47
4.5.1.1.	Import LSA SAF products.....	48
4.5.1.2.	Import Spot Vegetation products.....	49
4.5.1.3.	Submap of the Minas Gerais State and resampling other maps.....	49
4.5.1.4.	Change of units for LST and ALBEDO of the Minas Gerais Sub Maps.....	50
4.5.1.5.	Calculate Emissivity, Solar Zenith Angle and derive downward solar radiation.....	50
4.5.2.	Import table and processing of in situ data.....	51
4.6.	Running SEBS in ILWIS.....	53
4.7.	Derive statistical information aggregating Minas Gerais state and center pivot area.....	54
4.8.	Conclusions.....	56
	References.....	57

Appendix 1	58
5. Assessing Vegetation Coverage at the Sao Paulo State Scale: “a tool for aiding the decision making process”	59
5.1. Relevance and importance of the application	59
5.2. Objective of the application	60
5.3. Methodology and study area	60
5.3.1. Methodology adopted.....	60
5.3.2. Study Area.....	61
5.4. Data pre-processing.....	61
5.4.1. Importing the S10 NDVI images	61
5.4.2. Creating a Map List for the imported NDVI images.....	62
5.4.3. Extracting the Monthly Maximum Value Composition.....	63
5.5. Data analysis	64
5.5.1. Statistical analysis on the NDVI values for each municipality.....	64
5.5.2. Estimating vegetation cover	65
5.5.3. Municipal Vegetation Cover maps	66
5.6. Conclusions.....	68
References	69
Appendix 1	70
6. A GIS approach using Remote Sensing derived Products for Quantification of Sugar Cane Productivity in Brazil.....	71
6.1. Relevance of the application	71
6.1.1. The gap between science and practical agricultural management.....	71
6.1.2. Making crop modeling useful for decision-making: what output is needed, and what input data are required to achieve the modelling goals	71
6.1.3. Agro-meteorological parameters from satellite remote sensing products and GIS approach.....	72
6.1.4. Sugar cane crops in Brazil.....	72
6.2. Objectives of the application	72
6.2.1. General objective.....	72
6.2.2. Specific objective.....	72
6.3. Data used.....	72
6.3.1. Local/Regional (in-situ) data.....	72
6.3.2. Products used from GEONETCast.....	73
6.4. Methodology.....	73
6.5. Data pre-processing for quantification sugar cane productivity	74
6.5.1. Step 1: Input NDVI and DMP databases using algorithm adapted from GEONETCast Toolbox	74
6.5.2. Step 2: Computation of FVC from NDVI.....	74
6.5.3. Step 3: Computation of LAI from FVC.....	75
6.5.4. Step 4: Computation of growth factor from LAI.....	75
6.5.5. Step 5: Computation of maximum yield potential (Yp)	76
6.5.6. Step 6: Retrieval of evapotranspiration (ET _p) via LSA –SAF ET _p product	76
6.5.7. Step 7: Estimation of sugar cane productivity	78
6.5.8. Step 8: Local mask of estimated yield.....	78
6.5.9. Step 9: Total Yield Productivity using a sugar cane crop mask	79
6.6. Summary and Conclusions	80
References	81
7. Development of a tool to monitor crop growth and grain yield	83
7.1. Relevance of the topic selected.....	83
7.2. Objective of the application.....	85

7.3.	Data collection and pre-processing	85
7.3.1.	NDVI data.....	85
7.3.2.	Administrative boundary map.....	85
7.3.3.	Meteorological data.....	86
7.3.4.	Canopy cover fraction (fCov) measurements.....	86
7.3.5.	Departmental Crop yield data.....	86
7.4.	Methodology	87
7.5.	Data processing and analysis	87
7.5.1.	NDVI images (step ❶)	87
7.5.2.	Solar radiation (step ❷)	88
7.5.3.	Crop classification (step ❸)	88
7.5.4.	Sum of NDVI (step ❹)	90
7.5.5.	fCov*PAR calculation (steps ❺ and ❻)	90
7.5.6.	Maximum yield – Ymax (step ❼)	91
7.5.7.	Actual yield - Ya (Step ❽).....	92
7.5.8.	Image Masking (step ❾)	92
7.5.9.	Yield per Department (Step ❿)	92
7.6.	Conclusions	94
	References	95
8.	Aboveground Net Primary Productivity estimation of Pampa grasslands using MODIS and GOES data	97
8.1.	Relevance of the application.....	97
8.2.	Objective of the application.....	97
8.3.	Methodology	97
8.4.	Data processing and analysis	99
8.4.1.	Introduction	99
8.4.2.	Data pre-processing.....	100
8.4.2.1.	Data import into ILWIS.....	100
8.4.2.2.	Further RUE and PAR pre-processing	101
8.4.3.	Data analysis.....	101
8.5.	Conclusions	105
	References	106
9.	Estimation of ET from remote sensing and meteorological data using the method proposed by Jackson.....	107
9.1.	Relevance of the application.....	107
9.2.	Objective of the application.....	107
9.3.	Data used	107
9.3.1.	Local / regional (in-situ) data.....	107
9.3.2.	Data from GEONETCast – DevCoCast	108
9.4.	Methodology and description of the study area	108
9.4.1.	Methodology	108
9.4.2.	Study Area.....	110
9.5.	Data pre-processing	110
9.5.1.	Satellite Remote Sensing data.....	110
9.5.1.1.	Import and scale MODIS LST product.....	111
9.5.1.2.	Import and scale MODIS Surface Reflectance product.....	112
9.5.2.	Meteorological Data.....	113
9.5.2.1.	Import of the INTA air temperature product.....	113

9.5.2.2.	Import of the INTA Net Radiation product.....	114
9.5.2.3.	Resampling the LST product.....	115
9.6.	Computation of the ET.....	115
9.6.1.	Compute Normalized Difference Vegetation Index (NDVI).....	115
9.6.2.	Create Map Lists.....	116
9.6.3.	Compute Scaled Normalized Difference Vegetation Index (SNDVI).....	116
9.6.4.	Compute B and n.....	117
9.6.5.	Compute temperature differences.....	117
9.6.6.	Compute ET.....	118
9.7.	Checking the ET results.....	118
9.8.	Conclusions.....	120
	References.....	121
	10. From cloud top temperature to rainfall; Blending MSG and TRMM-TMI.....	123
10.1.	Relevance of the application.....	123
10.2.	Objective.....	123
10.3.	Methodology and study area.....	123
10.3.1.	Methodology adopted.....	123
10.3.2.	Study area.....	124
10.4.	Data preprocessing.....	124
10.4.1.	TRMM TMI rainfall data retrieval.....	124
10.4.2.	TRMM TMI rainfall data extraction of central Africa.....	125
10.4.3.	Extracting thermal channel from MSG for central Africa.....	126
10.5.	Data analysis.....	127
10.5.1.	Retrieving the potential rainfall fields.....	127
10.5.2.	Import the two TRMM tables.....	128
10.5.3.	Correlation of TRMM rainfall point measurements with MSG.....	130
10.5.4.	MSG averaging.....	132
10.5.5.	Compute rainfall intensities for a time series of thermal images.....	136
10.5.6.	Compute total daily rainfall.....	138
10.6.	Concluding remarks.....	139
	References.....	140
	11. Application of a Combined Daily Rain Gauges and Rainfall Satellite Estimates Scheme for Basin Management.....	141
11.1.	Relevance of the application.....	141
11.2.	Objectives of the application.....	141
11.3.	Data used.....	142
11.3.1.	Geo-temporal boundaries.....	142
11.3.2.	Local / regional (in-situ) data.....	142
11.3.3.	Data from GEONETCast – DevCoCast.....	142
11.4.	Methodology.....	142
11.5.	Data analysis.....	144
11.5.1.	Data collection and pre-processing.....	144
11.5.2.	Calculation of bias.....	149
11.5.3.	The decision process and calculation of the CoSch.....	151
11.5.4.	Retrieving rainfall statistics for basin management.....	152
11.6.	Conclusion.....	155
	References.....	156
	12. Development of tools for dynamic monitoring of insect populations.....	157
	13. Eco-climatic condition and trends on protected areas of the IGAD region.....	158

14. Remote sensing applications for advanced drought services: Linking models with <i>in-situ</i> crop conditions	159
15. An automated procedure using a multi-temporal threshold algorithm for forest fire detection using MSG satellite	160
16. Application of remote sensing to monitor agricultural performance	161
17. Ocean Colour Measurements of the Productivity in the Benguela Current Large Marine Ecosystem	163
17.1. Introduction and relevance of application.....	163
17.2. Objective of the application.....	163
17.3. Study Area.....	164
17.4. Data used for the study.....	165
17.4.1. Local <i>in-situ</i> data.....	165
17.4.2. Satellite data.....	165
17.5. Methodology and data pre-processing.....	165
17.5.1. Selection of satellite and in-situ match-ups.....	166
17.5.2. In-situ data pre-processing.....	166
17.5.2.1. Chlorophyll-a measurements.....	166
17.5.2.2. Temperature measurements.....	166
17.6. Satellite image processing.....	167
17.6.1. Creating a mask using BILKO software.....	167
17.7. Comparing satellite and in situ data.....	168
17.7.1. Obtaining satellite-equivalent chlorophyll values from the in-situ measurements.....	168
17.7.2. Importing the 20 August chlorophyll-a map in ILWIS.....	169
17.7.3. Import of In Situ sampling points and creating a Point Map.....	171
17.7.3.1. Import of the In Situ observations.....	171
17.7.3.2. Creating a Point Map.....	171
17.7.4. Extracting satellite data for statistical analysis.....	172
17.7.5. Characterising chlorophyll variability in spatial windows around the sampling points.....	173
17.7.5.1. Step I. Filtering.....	173
17.7.5.2. Step 2. Create a Map List.....	173
17.7.5.3. Step 3. Creating a Table from a Map List.....	174
17.8. Statistical Analysis of the match-up data.....	174
17.9. Processing the SST data.....	175
17.10. Concluding remarks.....	175
References:.....	176
Appendix 1.....	177
18. Using Sea Surface Temperature to assess Coral Bleaching Risk	179
18.1. Introduction and relevance of application.....	179
18.2. Objective of the application.....	180
18.3. Data used for the study.....	180
18.3.1. Local <i>in-situ</i> data.....	180
18.3.2. Satellite data.....	180
18.4. Methodology and data pre-processing.....	180
18.4.1. Methodology.....	180
18.4.2. Pre-processing of the global SST data used for comparison with the 1km DevCoCast product.....	181
18.5. Satellite image processing.....	182
18.5.1. Creating weekly composites of night-time SST.....	183
18.5.2. Masking of invalid pixels.....	184
18.5.3. Visual assessment of the weekly composites.....	186

18.5.4. Examining the image histogram	186
18.5.5. Changes from January to March.....	186
18.5.6. Differences between 2007 and 2010.....	187
18.6. Comparison of monthly MODIS temperatures to the Pathfinder SST climatology	187
18.6.1. Checking for MODIS v Pathfinder bias	187
18.6.2. Calculation of monthly means and comparison with climatology.....	189
18.6.2.1. Calculation of monthly mean SST.....	189
18.6.2.2. Calculating monthly anomalies for March	189
18.7. Degree Heating Weeks (DHWs)	190
18.8. Conclusion	191
References	192
Appendix 1	193